



# ALGORITHM 1: PAP & HIGH-RISK HPV SCREENING GUIDELINES




\* Post-colposcopy follow-up per ASCCP guidelines

# ALGORITHM 2: SCREENING GUIDELINES FOR WOMEN WITH HYSTERECTOMY AND OLDER WOMEN





\* Risk factors for the development of cervical carcinoma should be assessed on an ongoing basis and taken into consideration when deciding how often and for how long to screen older Women.

# ALGORITHM 3: AGE SPECIFIC MANAGEMENT OF ASC-US PAP FINDINGS




## ALGORITHM 4: MANAGEMENT OF AGC PAP FINDINGS




\*Close post-colposcopy follow-up per ASCCP guidelines is essential in the management of AGC Pap findings

# ALGORITHM 5: MANAGEMENT OF OTHER PAP FINDINGS - PART I



# ALGORITHM 6: MANAGEMENT OF OTHER PAP FINDINGS - PART II



\* Review clinical history- if significant positives on cancer screening (e.g. abnormal bleeding, spotting, discharge, post coital staining) further evaluation is needed, including possible colposcopy, endocervical curettage or endometrial biopsy

\*\* See Algorithm 4

\*\*\* Post-colposcopy follow-up per ASCCP guidelines